

# 自动送料激光切割机 (大幅面视觉识别+收料台)


**Automatic Feeding Laser Cutting Machine (Large-Format Vision Recognition + Auto Receiving Table)** 




#### 适用范围

适用于柔性面料数码印花定位裁切, 蕾丝面料自动对花型定位裁 切,加热片加热丝定位裁切等。











#### 机器特点

- 视觉系统通过高像素工业相机实时自动识别图案外轮廓并精准切 割,有效解决了弹性印花面料的图案切割变形问题。
- 支持建立模板特征点匹配、外轮廓自动识别、MARK点定位等多 种视觉定位功能,根据不同的图案选择最佳的视觉定位方式。
- •配备全自动送料机,与网带式工作平台配合使用。支持自动对 边,布料拉力控制,确保布料平稳输送,自动化程度高。
- 支持普通切割和视觉定位切割两种工作模式。
- •配备独立收料台,收料和加工可同时进行,提高生产效率。

#### **Features**

- Advanced vision system with high-resolution industrial camera captures real-time images of material patterns. Accurately detects outer contours to perform precise cuts, resolving issues such as distortion in printed or
- · Supports multiple visual positioning methods including: Template anchor point matching; Automatic outer contour detection; MARK point recognition. Choose the most suitable positioning mode for different pattern types to optimize cutting accuracy and efficiency
- · Equipped with a synchronized automatic feeding unit and conveyor belt work platform. Supports edge alignment and tension control to ensure smooth, wrinkle-free material feeding. Highly automated, ideal for continuous production.
- · Easily switch between standard cutting mode and vision-guided cutting mode to suit different production needs.
- Integrated with a dedicated material receiving table. Enables simultaneous cutting and collecting, improving overall workflow and production efficiency.



## 自动送料激光切割机(大幅面视觉识别+收料台) **Automatic Feeding Laser Cutting Machine** (Large-Format Vision Recognition + Auto Receiving Table)

## 推荐型号 Recommend Models

推荐型号 Model	工作面积 Working Area	机器尺寸 Machine Size (L×W×H)
GOA-LC,NM-N-1-1300x1000-C-SL-CGC80-LCI,AF,AR,IN-1P220	1300mm×1000mm	4300×2000×2400mm(含自动送料机和收料台) (with automatic feeding unit & material receiving table)
GOA-LC,NM-N-1-1600x1000-C-SL-CGC80-LCI,AF,AR,IN-1P220	1600mm×1000mm	4300×2300×2400mm(含自动送料机和收料台) (with automatic feeding unit & material receiving table)
GOA-LC,NM-N-1-1800x1000-C-SL-CGC80-LCI,AF,AR,IN-1P220	1800mm×1000mm	4300×2500×2400mm(含自动送料机和收料台) (with automatic feeding unit & material receiving table)
GOA-LC,NM-N-1-1800x1200-C-SL-CGC80-LCI,AF,AR,IN-1P220	1800mm×1200mm	4700×2500×2400mm(含自动送料机和收料台) (with automatic feeding unit & material receiving table)

#### 主要参数 Parameters

最大工作速度: Max. Working Speed:	1000mm/s	激光功率: Laser Power:	60W/80W/100W/130W/150W
冷却方式:	水冷却	供电电源:	AC220V/110V±10%, 50Hz
Cooling Method:	Water cooling	Power Supply:	

激光类型: 国产封离式COz玻璃激光管 Laser Type: China Made sealed CO2 glass laser tube

标配: 激光专用冷水机,550W排烟机,微型空气压缩机,工业相机

Standard Configuration: Laser-specific chiller, 550W exhaust fan, and Mini air compressor, High-Precision Industrial Camera.

工作环境: 温度: 5~40℃ 湿度:5~80% 无凝水,无灰尘 或灰尘较少

Operating Environment: Temperature: 5~40°C, Humidity: 5~80% (Non-condensing), Dust-free or low-dust conditions

## 主要配置 Configurations



国产一线品牌激光管, 质量稳定,工作时间长。 China made top-tier brand Laser Tube with stable quality and long service life.



两种规格形式的304 不锈钢金属网带。 Available in two specifications of 304 stainless steel metal mesh conveyor belts.



高精度直线导轨保证 切割速度和精度。

High-precision linear guide rails ensure cutting speed and accuracy.



激光切割机专用工业冷水机,具有超温报警,流量保护,水位保护等安全 报警提示功能。温度控制精准,确保激光器的功率输出稳定。

Dedicated industrial chiller for laser cutting machines featuring over-temperature alarm, flow protection, and water level warning functions. Precise temperature control guarantees stable laser power output.



【选配】自动送料机

【 Optional 】 Automatic Feeding Machine.

#### 天津再登高智能制造有限公司

地址: 天津宝坻经济开发区天宝南环路3号B楼

邮箱: sales@getonagain.com 400-166-8581 网址: www.GetonAgain.cn

### Tianjin GetonAgain SM Co., Ltd.

Address: Block B, No.3, Nan Huan Road, Economic Development Zone, Baodi, Tianjin, China. 0086-22-6035 9933

Email: sales@getonagain.com www.GetonAgain.com